



**Consent For Operation  
(CFO-Air,Water)**

**Consent No. AWH-301773  
Valid upto: 30/06/2021**

Industry Colour: RED Industry Scale: LARGE

**Karnataka State Pollution Control Board  
Parisara Bhavana, No.49, Church  
Street, Bengaluru-560001  
Tele : 080-25589112/3, 25581383  
Fax:080-25586321  
email id: ho@kspcb.gov.in**

(This document contains 5 pages including annexure & excluding additional conditions)

**Combined Consent Order No.** AWH-301773 **PCB ID:** 11383 **Date:** 29/12/2016

**Combined consent for discharge of effluents under the Water (Prevention and Control of Pollution) Act , 1974 and emission under the Air (Prevention and Control of Pollution) Act , 1981**

- Ref: 1. Application filed by the applicant/organization on 14/03/2016
2. Inspection of the Industry/organization/by RO, on on 24/03/2016
3. Proceedings of the CCM dated 24/10/2016 ,held on 19/10/2016

Consent is hereby granted to the Occupier under Section 25(4) of the Water (Prevention & Control of Pollution) Act, 1974 ( herein referred to as the Water Act) & Section 21 of Air (Prevention & Control of Pollution) Act, 1981, ( herein referred to as the Air Act) and the Rules and Orders made there under and authorized the Occupier to operate /carryout industry/activity & to make discharge of the effluents & emissions confirming to the stipulated standards from the premises mentioned below and subject to the terms and conditions as detailed in the Schedule Annexed to this order.

**Location:**

Name of the Industry: The West Coast Paper Mills Ltd  
Address: 122, Bangur Nagar  
Industrial Area: Not In Ind area, Dandeli,  
Taluk: Haliyal, District: Uttara Kannada

**Conditions:**

**a) Discharge of effluents under the Water Act:**

Sr	Water Code	WC(KLD)	WWG(KLD)	Remark
1	Manufacturing Processes	69361.000	64414.000	WC & WWG includes colony water

**b) Discharge of Air emissions under the Air Act from the following stacks etc.**

Sl. No.	Description of chimney/outlet	Limits specified refer schedule
The details of Sources, control equipments and its specification, type of fuel, constituents to be controlled in emissions etc. are detailed in Annexure-II.		

The consent for operation is granted considering the following activities/Products;

Sr	Product Name	Applied Qty/Month	Unit
1	Paper & Paper Board	26666.0000	M.T

**This consent is valid for the period from** 14/03/2016 **to** 30/06/2021

For and on behalf of the  
Karnataka State Pollution Control Board



**S NANDA KUMAR**

To,  
The West Coast Paper Mills Ltd

**COPY TO:**

- The Environmental Officer, KSPCB, Regional Office Karwar for information and necessary action.
- Master Register.
  - Case file.



**Consent For Operation  
(CFO-Air,Water)**

Consent No. AWH-301773  
Valid upto: 30/06/2021

Industry Colour: RED Industry Scale: LARGE

Karnataka State Pollution Control Board  
Parisara Bhavana, No.49, Church  
Street, Bengaluru-560001  
Tele : 080-25589112/3, 25581383  
Fax: 080-25586321  
email id: ho@kspcb.gov.in

(This document contains 5 pages including annexure & excluding additional conditions)

1. Consent Fee paid : Rs. 200000

**SCHEDULE**

**TERMS AND CONDITIONS**

**A. TREATMENT AND DISPOSAL OF EFFLUENTS UNDER THE WATER ACT.**

1. The discharge from the premises of the occupier shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act/Rules made there under.

2(a). The sewage/domestic effluent shall be treated in septic tank and with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be as per IS 2470 Part-I & Part-II.

2(b). The treated sewage effluent discharged shall conform to the standards specified in Annexure-I.

3(a). The trade effluent generated in the industry shall be treated in the ETP and treated effluent shall conform to the standards stipulated by the Board in Annexure-1

3(b). The trade effluent shall be handed over to CETP and maintain logbook of effluent generated & sent every day.

4. The applicant shall install flow measuring/recording devices to record the discharge quantity and maintain the record.

5. The applicant shall not change or alter either the quality or the quantity or the place of discharge or temperature or the point of discharge without the previous consent/ permission of the Board.

6. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises. Storm water shall not be allowed to mix with the effluents on the upstream of the terminal manhole where the flow measuring devices are installed.

7. The daily quantity of domestic effluent and trade effluent from the industry shall not exceed the limits as indicated in this consent order:

8. The applicant shall discharge the effluents only to the place mentioned in the Consent order and discharge of treated/untreated outside the premises is not permitted.

**B. EMISSIONS:**

1. The discharge of emissions from the premises of the applicant shall pass through the air pollution control equipment and discharged through stacks/chimneys mentioned in **Annexure-II** where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under. The tolerance limits of the constituents forming the emissions in each of the stacks shall not exceed the limits laid down in Annexure-II.

2. The applicant shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.

3. The applicant shall upgrade/modify/replace the control equipment with prior permission of the Board.

**C. WATER CESS:**

1. The applicant shall provide water meter at all the intake points as specified under Section (5) of the Water Cess Act, 1977 and shall file the Water Cess returns regularly before fifth of every month and also pay the Cess assessed with the time stipulated.

**D. MONITORING & REPORTING:**

1. The applicant shall get the samples of effluents & emissions collected and get them analyzed once a month/either by in house monitoring laboratory or through EP approved laboratories for the parameters as Indicated in Annexure I & II.

2. The applicant shall maintain log books to reflect the working condition of pollution control systems and also self monitoring results and keep it open for inspection.



**Consent For Operation  
(CFO-Air,Water)**

Consent No. AWH-301773  
Valid upto: 30/06/2021

Industry Colour: RED Industry Scale: LARGE

Karnataka State Pollution Control Board  
Parisara Bhavana, No.49, Church  
Street, Bengaluru-560001  
Tele : 080-25589112/3, 25581383  
Fax: 080-25586321  
email id: ho@kspcb.gov.in

(This document contains 5 pages including annexure & excluding additional conditions)

**E. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:**

1. The applicant shall segregate solid waste from Hazardous Waste, Municipal Solid Waste and store it properly till treatment/disposal without causing pollution to the surrounding Environment.
2. The solid waste generated shall be handled & disposed by scientific method without causing eye sore to the general public and to the surrounding environment.

**F. NOISE POLLUTION CONTROL:**

1. The industry shall ensure that the ambient noise levels within its premises shall not exceed the limits i.e 75 dB(A) Leq during day time and 70 dB(A) Leq during night time as specified in under the Air (Prevention and Control of Pollution) Act, 1981.

**G. HAZARDOUS WASTES (MANAGEMENT, HANDLING & TRANSBOUNDARY MOVEMENT) 2008:**

The applicant shall comply with the provisions of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008.

**H. GENERAL CONDITIONS:**

1. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises.
2. The applicant shall promptly comply with all orders and instructions issued by the Board from time to time or any other officers of the Board duly authorized in this behalf.
3. The applicant shall set-up Environmental Cell comprising of qualified and competent personnel for complying with the conditions specified.
4. The Board reserves the right to review, impose additional conditions, revoke, change or alter terms and conditions of this consent.
5. The applicant shall forthwith keep the Board informed of any accidental discharge of emissions/effluents into the atmosphere in excess of the standards laid down by the Board. The applicant shall also take corrective steps to mitigate the impact.
6. The applicant shall provide alternative power supply sufficient to operate all Pollution control equipments.
7. The entire premises shall always be kept clean. The effluent holding area, inspection chambers, outlets, flow measuring points should made easily approachable.
8. The applicant shall display the consent granted in a prominent place for perusal of the inspecting officers of the Board.
9. The applicant his heirs, legal representatives or assignee shall have no claims what so ever to the continuation or renewal of this consent after expiry of the validity of consent.
10. The applicant shall make an application for consent for subsequent period at least 45 days before expiry of this consent.
11. The applicant shall develop and maintain adequate green belt all around the periphery.
12. The applicant shall provide rain water harvesting system and shall provide proper storm water management system.
13. This consent is issued without prejudice to any Court Cases pending in any Hon'ble Court
14. The applicant shall furnish the Environmental statement for every financial year ending with 31st March in Form-V as per Environment (Protection) Rules, 1986. The statement shall be furnished before the end of September.
15. The applicant shall display flow diagram of the pollution control system near the pollution control system/s.



**Consent For Operation  
(CFO-Air,Water)**

**Consent No. AWH-301773  
Valid upto: 30/06/2021**

Industry Colour: RED Industry Scale: LARGE

**Karnataka State Pollution Control Board  
Parisara Bhavana, No.49, Church  
Street, Bengaluru-560001  
Tele : 080-25589112/3, 25581383  
Fax:080-25586321  
email id: ho@kspcb.gov.in**

(This document contains 5 pages including annexure & excluding additional conditions)

**NOTE:**

The following Conditions A[2(a), 3(b)] & G mentioned in the schedule are not applicable.

**Additional Conditions:**

Please see additional condition to the consent order. The Annexure-I & II is applicable for discharge of effluent and emission regulation.

For and on behalf of the  
Karnataka State Pollution Control Board



**S NANDA KUMAR**

**Note:** All efforts should be made to remove colour and unpleasant odour as far as practicable.

Chi m.N o.	Chimne y attached to	Capacity/ KVA Rating	Minimum chimney height to be provided above ground level (in Mts)	Constituents to be controlled in the emission	Tolerance limits mg/NM3	Fuel	Air pollution Control equipment to be installed,in addition to chimney height as per col.(3)	Date of which air pollution control equipments shall be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.
1	Boiler	125 TPH	85	PM(mg/NM3),SO2 (PPM),NOx(PPM)	150,0,0	COA	ESP	Before commissioning.
2	Boiler	80 TPH	85	PM(mg/NM3),SO2 (PPM),NOx(PPM)	150,0,0	COA	ESP	Before commissioning.
3	Boiler	65 TPH	68	PM(mg/NM3),SO2 (PPM),NOx(PPM)	150,0,0	COA	ESP	Before commissioning.
4	Boiler	60 TPH	55	PM(mg/NM3),SO2 (PPM),NOx(PPM)	150,0,0	COA	ESP	Before commissioning.
5	Any Other .....	135 TPD	51	PM(mg/NM3),SO2 (PPM),NOx(PPM)	150,0,0	F.O	ESP	Before commissioning.
6	Furnace	500 TPD	60	PM(mg/NM3),SO2 (PPM),NOx(PPM)	150,0,0	BLK	ESP	Before commissioning.
7	Furnace	1100 TPD	85	PM(mg/NM3),SO2 (PPM),NOx(PPM)	150,0,0	BLK	ESP	Before commissioning.
8	Any Other .....	230 TPD	55	PM(mg/NM3),SO2 (PPM),NOx(PPM)	150,0,0	F.O	ESP	Before commissioning.

Note:

- ESP : E.S.P
- ESP : E.S.P
- ESP : E.S.P

**Note:**

1. The Noise levels within the premises shall not exceed 75 dB (A) leq during day time and 70 dB(A) leq during night time respectively.
2. The DG set shall be provided with acoustic measures as per SI.No.94 in Schedule-I of Environment (Protection)Rules.
3. There shall be no smell or odour nuisance from the industry.



**Consent For Operation  
(CFO-Air,Water)**

Consent No. AWH-301773  
Valid upto: 30/06/2021

Industry Colour: RED Industry Scale: LARGE

Karnataka State Pollution Control Board  
Parisara Bhavana, No.49, Church  
Street, Bengaluru-560001  
Tele : 080-25589112/3, 25581383  
Fax:080-25586321  
email id: ho@kspcb.gov.in

(This document contains 5 pages including annexure & excluding additional conditions)

**LOCATION OF SAMPLING PORTHOLES, PLATFORMS, ELECTRICAL OUTLET.**

1. Location of Portholes and approach platform:

Portholes shall be provided for all chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to at least eight times the stack or duct diameters downstream and two diameters upstream from source of low disturbance such as a Bend, Expansion, Construction Valve, Fitting or Visible Flame for rectangular stacks, the equivalent diameter can be calculated from the following equation.

$$\text{Equivalent Diameter} = \frac{2 (\text{Length} \times \text{Width})}{(\text{Length} + \text{Width})}$$

2. The diameter of the sampling port should not be less than 100 mm dia". Arrangements should be made so that the porthole is closed firmly during the non sampling period
3. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point of 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.
4. The ladder shall be provided with adequate safety features so as to approach the monitoring location with ease.

[Click Here to View Uploaded Document1](#)

**ADDITIONAL CONDITIONS TO ACCOMPANY CONSENT ORDER OF M/S. WEST COAST PAPER MILLS LTD. P.B.NO.5, BANGUR NAGAR, DANDELI, UTTARA KANNADA (DIST) – 581 325.**

The consent is valid for the manufacture of:

Sl. No.	Products/activity	Maximum Capacity
1.	Manufacture of Paper, Paper Board & Duplex Board	3,20,000 MTPA
2.	Captive power Generation using FBC boiler	74.8 MW

**The Consent is granted for the period from 01.07.2016 to 30.06.2021.**

**Consent fees : Rs. 20,00,000/- under both Water Act & Air Act.**

**Capital investment: Rs. 2016.13 crores**

**RTGS No:CBINR52016050210005387- Rs. 4,00,000/- dt: 30.04.2016.**

**RTGS No: SBMYR5201609190233043 Rs. 16,00,000/- dt: 19.09.2016.**

**A. TREATMENT AND DISPOSAL OF EFFLUENTS UNDER THE WATER ACT.**

**I. Quantity of the water used:**

The total water consumption shall not exceed 1, 00,000 KLD.

**II. Treatment and disposal of trade and sewage effluent:**

1. The daily quantity of effluent discharge shall not exceed the limits and shall not contain the constituents in excess of the tolerance limits laid down as indicated in the table below. The applicant shall monitor the quality of effluents for the parameters stipulated as per the frequency indicated.

Sl. No.	Description	Permitted Quantity of discharge	Place of discharge	Frequency of monitoring
1.	Domestic effluent	85,885 KLD	The combined (trade and sewage) effluent from the industry and colony shall be treated in effluent treatment plant to the standards stipulated in <b>Annexure-I</b> . Treated effluent is permitted to discharge into Halmaddi Nallah leading to Kali River and to use for secondary purposes.	Daily
2	Trade effluent			

  
CHIEF ENVIRONMENTAL OFFICER

- 3 The combined effluent shall be treated in the effluent treatment plant to the standards stipulated in **Annexure-I**.
- 4 The applicant shall maintain flow measuring/ recording devices for the effluent drains i.e. sewage effluent stream, pulp mill effluent stream, paper effluent stream and the final treated effluent drain at single point discharge. A record of daily effluent discharge shall be maintained. The wastewater shall be segregated into pulp mill and paaper machine stream and treated independently in the ETP.
- 5 The applicant shall ensure consistent effluent quality and also to avoid shock loads on river, industry should operate one old aerated lagoon by operating the surface aerators already available.
- 6 The applicant shall exercise necessary control measures that may be required to ensure that the quality of river water and aquatic life and downstream users are not affected by any means due to discharge of treated effluent to the Kali River.
- 7 The applicant shall as far as practicable to recycle the cooling tower water.
- 8 The industry shall provide flow meters for inflow and outflow of ETP and provide separate energy meter for ETP and record hourly readings in a log book for verification of inspecting officers.
- 9 The applicant shall ensure that the dissolved oxygen level in the treated effluent is boosted up so as to maintain minimum D.O. of 4 mg/l. or 40% of the saturation limit whichever higher to maintain the aquatic life in the River. If the D.O. in the river falls below 4 mg/l, at the downstream of the effluent discharge point, industry shall regulate its effluent discharge and inform the Regional Office of the Board.
- 10 The industry shall explore the possibility of reducing the effluent discharge quantity to about 10% of the existing discharge.
- 11 AOX levels shall not exceed 1 Kg/ton of paper production and water quality shall be regularly monitored at the discharge point and in the river.
- 12 The industry shall make continued efforts in reducing the volume of effluent discharge through recycling/ reuse techniques and reducing the pollution load by adopting advanced wastewater treatment technologies.
- 13 The performance of the ETP shall be improved and efforts shall be made to bring down the colour, total suspended solids by adopting process like activated carbon filter, use of better flocculating and decolorising agents etc.,



CHIEF ENVIRONMENTAL OFFICER



### III. Self Monitoring and Reporting by the industry

1. The applicant shall at his own cost get the treated trade effluent samples collected from the place specified and analyze the same on a daily basis for the parameters indicated in **Annexure-I** stipulated and report submitted to the Regional Office, once in a month along with the water used, the waste water generated, treated, discharged etc. in a compiled statement, with statistical analysis in a graphical format.
2. The applicant shall once in 3 months analyse the influent and effluent for mercury.
3. The applicant shall conduct Bio-Assay test once in a month for evaluating toxicity of industrial effluent once in a month in accordance with IS 6582 – 1971. The test species selected being those which are predominant in Kali River. The report shall be furnished once in a month.
4. The applicant shall continue to maintain Bio-Monitoring unit at single point discharge with fish species predominant in the Kali River. Part of the treated effluent shall be made to pass through this unit. A separate log book shall be maintained by the industry in which the details of fish/ finger lings introduced daily/weekly and the number of finger lings died and survived daily should be recorded and reports furnished to the Regional Office once in a month.
5. The applicant shall characterize the sludge generated for possible AOX & heavy metals and the characteristics of the benthic deposit/soil on the river bed down stream of discharge point at regular intervals depending on the flow condition in the river.
6. On line pH, DO, temperature and flow measurement devices provided at the single point discharge location shall be maintained in working condition and the data collected shall be computed and to be connected to KSPCB's Server.
7. The applicant shall display the treated effluent parameters, as per the latest analysis report of the treated trade effluent, at the ETP location.
8. The applicant shall paint the name and capacity of each unit of ETP.

### B. AIR POLLUTION CONTROL:

#### I. EMISSIONS

1. The discharge of emissions from the premises of the applicant shall pass through the stacks/ chimneys mentioned in **Annexure-II** where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under. The stacks/ chimneys heights shall be as per **Annexure-II**.
2. The hourly rate of emissions discharged and the tolerance limits of the constituents forming the emissions in each of the chimneys/ stacks shall not exceed the limits laid down in **Annexure-II**.

  
CHIEF ENVIRONMENTAL OFFICER



3. The applicant shall operate the air pollution control equipment as specified in the **Annexure-II** continuously so as to ensure that the emission does not exceed the limits specified. The operation of the control equipment shall be synchronized with the operation of the emission source.
4. The applicant shall utilize the coal having maximum 0.8 % sulphur only.
5. The industry shall link on line stack monitoring data and continuous ambient air quality monitoring data with the Board portal.

## **II. Self Monitoring and Reporting**

1. The applicant shall at his own cost get the samples of emissions collected and get them analyzed once a month for the parameters indicated in **Annexure-II**.
2. The applicant shall carryout the ambient air quality monitoring and submit the report to the Regional Office of the Board. The AAQM shall be carried out in all the established stations as per the new National Ambient Air Quality Standards stipulated in Environmental (Protection) Rules, including H<sub>2</sub>S, PM<sub>10</sub> & PM<sub>2.5</sub>. The industry shall furnish statistical analysis for annual average of pollutants at all the locations as per Ambient Air Quality standards Notification once in a year.
3. The applicant shall establish and maintain three CAAQMS and a meteorological station in their premises. The data recorded in continuous ambient air quality monitoring station (CAAQMS) has to be displayed in the website. Also the CAAQM station to be connected to KSPCB server.
4. The applicant shall provide port holes for sampling the emissions, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder to all the air pollution sources.
5. All efforts shall be made to control fugitive emissions.

## **C. HAZARDOUS & OTHER WASTE (MANAGEMENT, TRANSBOUNDARY MOVEMENT) RULES, 2016.**

The applicant shall comply with the Hazardous and other Waste (Management & Transboundary Movement) Rules, 2016.

## **D. SOLID WASTE MANAGEMENT**

1. The solid waste collected in the factory premises as sweepings, wastage packaging, empty containers, residue, sludge including those from air pollution control equipments shall be disposed off scientifically to the satisfaction of the Board so as not to cause fugitive emissions, dust problems or water pollution problems through leaching etc., of any kind.

  
CHIEF ENVIRONMENTAL OFFICER

2. The applicant shall take action to periodically remove solid deposits if any near confluence point and downstream in the river.

**E. FLY ASH MANAGEMENT**

1. The applicant shall comply with the Fly ash Notification issued by MoEF & CC vide SO 763 (E) dt: 14/09/1999, SO 979 (E) dt: 27/08/2003, SO 2804 (E) dt: 03/11/2009 and SO 1396 (E) dt: 25/03/2015 and any amendments issued from time to time.

**F. GENERAL**

1. This consent for discharging sewage and/or trade effluents from the factory shall not be taken or construed as the Board's permission to continue to discharge the sewage and/or trade effluents from the factory into the place (as mentioned in this consent Order) which pollutes the water there-in endangering the life and property of the persons using the said water before, during or after the periods indicated in the Terms and Conditions of this Consent Order.
2. The applicant shall not change or alter either the quality or quantity or rate of emission or install/ replace or alter the air pollution control equipment, change in raw material or manufacturing process resulting in change in quality and/or quantity of emissions without the prior permission of the Board.
3. The industry shall not change or alter (a) raw materials or manufacturing process, (b) change the products or product mix (c) the quality, quantity or rate of discharge/ emissions and (d) install/replace/alter the water or air pollution control equipments without the prior approval of the Board.
4. The applicant shall not store any raw materials on naked ground.
5. The applicant shall appoint a qualified environmental engineer/ scientist for environment management in the factory and also establish an environmental cell.
6. Applicant shall maintain the Environmental Management System in conformity with ISO 14001:2004 standards.
7. The applicant shall comply with the guidelines under Corporate Responsibilities for Environment Protection (CREP) 2003 issued by Ministry of Environmental Forests and CPCB.
8. The applicant shall continue the self monitoring system for monitoring the effluents and emissions.
9. The applicant shall maintain register recording the ambient air quality, stack monitoring and analysis report of treated effluents. The register shall be open for inspection by the Board Officers at all time.

  
CHIEF ENVIRONMENTAL OFFICER

10. An inspection Book shall be opened and made available to the Board Officers during their visit to the factory.
11. Industry shall comply with all the consent conditions and furnish report within 30 days to the Regional Office.
12. The applicant shall display EC, Environmental Statement and Consent orders in the website of the industry and update regularly.
13. The industry shall publish the EC, CFE, CFO, Environmental Statement and analysis reports in the website.

  
**CHIEF ENVIRONMENTAL OFFICER** 

**ANNEXURE – I**

**STANDARDS FOR DISCHARGING THE TREATED COMBINED EFFLUENT TO HALMADDI NALLAH LEADING TO KALI RIVER.**

<b>Sl. No.</b>	<b>Parameters</b>	<b>Tolerance limits not to exceed</b>
1	Colour and Odour.	See Note.
2	pH value.	7 to 8.5
3	Bio-chemical Oxygen Demand, mg/l. (3 days at 27°C) max.	30
4	Chemical Oxygen Demand, mg/l Max.	250
5	Suspended Solids mg/l.Max.	50
6	Oil and Grease mg/l. Max.	10
7	Chloride (as Cl.) Mg/l. Max.	350
8	Sulphate (as SO <sub>4</sub> ) mg/l. max.	1000
9	Sulphide, mg/l Max.	2
10	Total Residual Chlorine mg/l Max.	1
11	Ammonical Nitrogen.mg/l, Max.	50
12	Total Kjeldal Nitrogen, mg/l Max.	100
13	Free Ammonia, mg/l Max.	5.0
14	Dissolved Phosphate, mg/l Max.	5.0
15	Total Dissolved Solids (Inorganic) mg/l. Max.	2100
16	AOx, kg/ton of product	< 1.0

Note: All efforts should be made to remove colour & unpleasant odour.

The industry shall ensure that the treated effluent BOD is kept 10% less than the already stipulated limits.

  
**CHIEF ENVIRONMENTAL OFFICER**

**ANNEXURE-II**

Chimney	Chimney attached to	Minimum chimney height to be provided above ground level /roof level (AGL/ARL)	Rate of emission Nm <sup>3</sup> /Hr.	Constituents to be controlled in the emission	Tolerance limits Mg/Nm <sup>3</sup>	Air pollution control equipment to be installed, in addition to chimney height as per col.(3)
1	2	3	4	5	6	7
1	Chemical Recovery Boiler-I (500 TPD, BHEL Boiler)	60 m AGL	1,25,000	Particulate matter H <sub>2</sub> S	150 10	Electrostatic precipitator(ESP)
2	Chemical Recovery Boiler-II (1100 TPD)	85 m AGL	2,25,720	Particulate matter H <sub>2</sub> S	150 10	ESP
3	Rotary lime mud re-burning kiln-II (135 TPD)	55 m AGL	39,600	Particulate matter	150	ESP
4	Rotary Lime Kiln-I (230 TPD)	51 m AGL	20,000	Particulate matter	150	ESP
5	Smelt Dissolving Vent -I	43 m AGL	6,500	-	-	-
6	Smelt Dissolving Vent -II	63.11 m AGL	25500	-	-	-
7	60 TPH FBC Boiler-I (Fluidised Bed Combustion)	55 m AGL	92,000	Particulate matter	150	ESP
8	65 TPH FBC Boiler - II	68 m AGL	123,912	Particulate matter	150	ESP
9	80 TPH FBC Boiler -III	85 m AGL	1,38,480	Particulate matter	150	ESP
10	125 TPH FBC Boiler- IV	85 m AGL	144108	Particulate matter	150	ESP
11	PCC Carbator vent	20 m AGL		-	-	Demister
12	Lime unload vent	20 m AGL		-	-	-

**Note:**

- 1) Low NOx burners shall be installed for Boilers.
- 2) Dust suppression system shall be provided to coal yard.The industry shall use Coal with Sulphur Content not more than 0.8%.

  
**CHIEF ENVIRONMENTAL OFFICER**



**Copy to Regional officer, Karwar** for information and ensure compliance to following directions issued by CPCB.

While issuing Consent to operate or renewing CTO to a plant, industry or process under the Water Act and Air Act & installation handling hazardous substance (s) beyond the prescribed threshold limits as listed under the PLI Act, 1991, the SPCB shall ensure compliance to the following from the occupier ;

1. Details on current PLI policy would be compulsorily sought (as a checklist).
2. Shall seek a copy of successive Public liability Insurance Policies (year wise) since undertaking the use, trade or sewage of listed hazardous chemicals as under the PLI Act, 1991.
3. Shall seek a copy of Form III of ERF scheme under the PLI Act, 1991.
4. The SPCBs shall seek a copy of on-site emergency plan.



# THE WEST COAST PAPER MILLS LTD.,

Registered & Works Office : Post Box No.5, Bangur Nagar, Dandeli 581325  
Dist Uttar Kannada (Karnataka) - India  
CORPORATE IDENTITY NO: L02101KA1955PLC001936 website: www.westcoastpaper.com  
Ph: (08284) 231391 - 395 (5 lines) Fax : 08284 - 231225 (Admn. Office) 230443 (Works Office)

ISO 9001 / 14001  
OHSAS -18001



**DNV**  
CERTIFIED

ZZJ:PRO:05:2016 : 8213  
30.12.2016

The Chief Environmental Officer  
Karnataka State Pollution Control Board,  
Parisara Bhavana, No. 49, Church Street  
BENGALURU- 560 001

Dear Sir,

In the Combined Consent Order No. AWH-301773 in PCB ID 11383 uploaded on our ID it is observed that inadvertently the quantity of Discharge of effluent under the water Act: have been mentioned at WC(KLD) 69361 and WWG (KLD) 64414:000 whereas they should have been recorded as WC(KLD) 1,00,000 and WWG(KLD) 85885.

The quantities have been correctly recorded in the additional conditions page of this Combined Consent.

Therefore you are requested to record the quantities correctly in the first page of the Combined Consent and upload the corrected first page please.

Thanking You,

Yours Faithfully,  
For WEST COAST PAPER MILLS Ltd,

B H RATHI  
PRESIDENT - TECHNICAL

